Ceriello, A., E. Marchi, M. Barbanti, M. R. Milani, D. Giugliano, A. Quatraro, P. Lefebvre: Non-enzymatic glycation reduces heparin cofactor II anti-thrombin activity 205

Chase, H. P., N. Butler-Simon, S. Garg, M. McDuffie, S. L. Hoops, D. O'Brien: A trial of nicotinamide in newly diagnosed patients with Type 1 (insulin-dependent) diabetes mellitus 444

Chicheportiche, D., S. Darquy, J. Lepeintre, F. Capron, P. A. Halban, G. Reach: High-performance liquid chromatography analysis of circulating insulins distinguishes between endogenous insulin production (a potential pitfall with streptozotocin diabetic rats) and islet xenograft function 457

Clark, A., M. F. Saad, T. Nezzer, C. Uren, W. C. Knowler, P. H. Bennett, R. C. Turner: Islet amyloid polypeptide in diabetic and non-diabetic Pima Indians 285

Das, A., R. N. Frank, N. L. Zhang: Sorbinil does not prevent galactose-induced glomerular capillary basement membrane thickening in the rat 515

Del Prato, S., G. Enzi, S. Vigili de Kreutzenberg, G. Lisato, A. Riccio, L. Maifreni, E. Iori, F. Zurlo, G. Sergi, A. Tiengo: Insulin regulation of glucose and lipid metabolism in massive obesity 228

Del Prato, S., S. Vigili de Kreutzenberg, A. Riccio, L. Maifreni, E. Duner, G. Lisato, M. Iavicoli, A. Tiengo: Partial recovery of insulin secretion and action after combined insulin-sulfonylurea treatment in Type 2 (non-insulin-dependent) diabetic patients with secondary failure to oral agents 688

Deschamps, I., J. Hors, F. Clerget-Darpoux, E. Gardais, J. J. Robert, A. Marcelli-Berge, H. Lestradet, J. Dausset: Excess of maternal HLA-DR3 antigens in HLA DR3,4 positive Type 1 (insulin-dependent) diabetic patients 425

Desjardins, M., F. Gros, J. Wieslander, M. C. Gubler, M. Bendayan: Immunogold studies of monomeric elements from the globular domain (NC1) of type IV collagen in renal basement membranes during experimental diabetes in the rat 661

Di Leo, M. A. S., B. Falsini, S. Caputo, G. Ghirlanda, V. Porciatti, A. V. Greco: Spatial frequency-selective losses with pattern electroretinogram in Type 1 (insulin-dependent) diabetic patients without retinopathy 726

Dosso, A., E. Rungger-Brändle, F. Rohner-Jeanrenaud, E. Ionescu, C. Guillaume-Gentil, B. Jeanrenaud, P. M. Leuenberger: Ocular complications in the old and glucose-intolerant genetically obese (fa/fa) rat 137

Engström, K. G., K. Grankvist, I.-B. Täljedal: Insulin-driven erythropoiesis may underlie impairment of erythrocyte deformability in hyperinsulinaemic, hyperglycaemic *ob/ob*-mice 127

Eriksson, K.-F., F. Lindgärde: Impaired glucose tolerance in a middle-aged male urban population: a new approach for identifying high-risk cases 526

Feve, B., J. P. Segain, B. Charbonnel, P. Sai: B cell-adherent splenocytes precede the onset of diabetes in low-dose streptozotocin-treated mice 9

Flyvbjerg, A., K. E. Bornfeldt, S. M. Marshall, H. J. Arnqvist, H. Ørskov: Kidney IGF-I mRNA in initial renal hypertrophy in experimental diabetes in rats 334

Foulis, A. K., M. A. Farquharson, S. O. Cameron, M. McGill, H. Schönke, R. Kandolf: A search for the presence of the enteroviral capsid protein VP1 in pancreases of patients with Type 1 (insulin-dependent) diabetes and pancreases and hearts of infants who died of coxsackieviral myocarditis 290

Fraser, R. J., M. Horowitz, A. F. Maddox, P. E. Harding, B. E. Chatterton, J. Dent: Hyperglycaemia slows gastric emptying in Type 1 (insulin-dependent) diabetes mellitus 675

Garrino, M. G., J. C. Henquin: B cell adrenoceptors and sulphonylurea-induced insulin release in mouse islets 145

Gilcrease, M. Z., R. L. Hoover: Activated human monocytes exhibit receptor-mediated adhesion to a non-enzymatically glycosylated protein substrate 329

Gilmore, J. E., J. A. Allen, J. R. Hayes: A comparison of peripheral vasoconstrictor responses and cardiovascular autonomic function tests in diabetic patients 350

Giroix, M.-H., A. Sener, D. Bailbe, B. Portha, W. J. Malaisse: Impairment of the mitochondrial oxidative response to D-glucose in pancreatic islets from adult rats injected with streptozotocin during the neonatal period 654

Hanafusa, T., A. Miyazaki, J. Miyagawa, S. Tamura, M. Inada, K. Yamada, Y. Shinji, H. Katsura, K. Yamagata, N. Itoh, H. Asakawa, C. Nakagawa, A. Otsuka, S. Kawata, N. Kono, S. Tarui: Examination of islets in the pancreas biopsy specimens from newly diagnosed Type 1 (insulin-dependent) diabetic patients 105

Hanson, U., B. Persson, S. Thunell: Relationship between haemoglobin A_{1C} in early Type 1 (insulin-dependent) diabetic pregnancy and the occurrence of spontaneous abortion and fetal malformation in Sweden 100

Hashimoto, M., S. Akazawa, M. Akazawa, M. Akashi, H. Yamamoto, Y. Maeda, Y. Yamaguchi, H. Yamasaki, D. Tahara, T. Nakanishi, S. Nagataki: Effects of hyperglycaemia on sorbitol and *myo*-inositol contents of cultured embryos: treatment with aldose reductase inhibitor and *myo*-inositol supplementation 597

Hatamori, N., K. Yokono, M. Hayakawa, T. Taki, W. Ogawa, M. Nagata, J. Hari, K. Shii, H. Taniguchi, S. Baba: Anti-interleukin 2 receptor antibody attenuates low-dose streptozotocin-induced diabetes in mice 266

Head J., J. H. Fuller: International variations in mortality among diabetic patients: the WHO Multinational Study of Vascular Disease in Diabetics 477

Holst, J. J., C.-G. Östenson, H. Harling, T. Messell: Porcine pancreastatin has no effect on endocrine secretion from the pig pancreas 403

Hother-Nielsen, O., H. Beck-Nielsen: On the determination of basal glucose production rate in patients with Type 2 (non-insulin-dependent) diabetes mellitus using primed-continuous 3-^{3}H-glucose infusion 603

Ihm, S. H., K. U. Lee, R. G. McArthur, J. W. Yoon: Predisposing effect of anti-Beta cell autoimmune process in NOD mice on the induction of diabetes by environmental insults 709

Jensen, J. S., E. R. Mathiesen, K. Nørgaard, E. Hommel, K. Borch-Johnsen, J. Funder, J. Brahm, H.-H. Parving, T. Deckert: Increased blood pressure and erythrocyte sodium/lithium countertransport activity are not inherited in diabetic nephropathy 619

Kaiser, N., A. P. Corcos, A. Tur-Sinai, Y. Ariav, B. Glaser, H. Landau, E. Cerasi: Regulation of insulin release in persistent hyperinsulinaemic hypoglycaemia of infancy studied in long-term culture of pancreatic tissue 482

Kalits, I., T. Podar: Incidence and prevalence of Type 1 (insulin-dependent) diabetes in Estonia in 1988 346

Kern, T. S., R. L. Engerman: Arrest of glomerulopathy in diabetic dogs by improved glycaemic control 522

Kerr, D., I. A. Macdonald, S. R. Heller, R. B. Tattersall: Alcohol causes hypoglycaemic unawareness in healthy volunteers and patients with Type 1 (insulin-dependent) diabetes 216

Kimura, I., M. Kimura, M. Kimura: Increase in electrically-stimulated Ca^{2+}-release and suppression of caffeine response in diaphragm muscle of alloxan-diabetic mice compared with the denervation effect 72

Kino, K., K. Mizumoto, T. Sone, T. Yamaji, J. Watanabe, A. Yamashita, K. Yamaoka, K. Shimizu, K. Ko, H. Tsunoo: An immunomodulating protein, Ling Zhi-8 (LZ-8) prevents insulitis in non-obese diabetic mice 713

Klein, R. L., T. J. Lyons, M. F. Lopes-Virella: Metabolism of very low- und low-density lipoproteins isolated from normolipidaemic Type 2 (non-insulin-dependent) diabetic patients by human monocyte-derived macrophages 299

Kobayashi, T., K. Nakanishi, H. Kajio, S. Morinaga, T. Sugimoto, T. Murase, K. Kosaka: Pancreatic cytokeratin: an antigen of pancreatic exocrine cell autoantibodies in Type 1 (insulin-dependent) diabetes mellitus 363

Koivisto, V. A., H. Yki-Järvinen, I. Puhakainen, A. Virkamäki, J. Kolaczynski, R. De-

Fronzo: No evidence for isotope discrimination of tritiated glucose tracers in measurements of glucose turnover rates in man 168
Kruszynska, Y. T., J. G. McCormack, N. McIntyre: Effects of non-esterified fatty acid availability on insulin stimulated glucose utilisation and tissue pyruvate dehydrogenase activity in the rat 396
Kruszynska, Y. T., P. A. Halban, C. R. Kahn, M. F. White: Activation of liver and muscle insulin receptor tyrosine kinase activity during in vivo insulin administration in rats 77

Landin-Olsson, M., K. O. Nilsson, Å. Lernmark, G. Sundkvist: Islet cell antibodies and fasting C-peptide predict insulin requirement at diagnosis of diabetes mellitus 561
Le Marchand-Brustel, Y., N. Rochet, T. Grémeaux, I. Marot, E. Van Obberghen: Effect of an α-glycosidase inhibitor on experimentally-induced obesity in mice 24
Levy-Marchal, C., L. Papoz, C. de Beaufort, J. Doutreix, V. Froment, J. Voirin, A. Collignon, B. Garros, Y. Schleret, P. Czernichow: Incidence of juvenile Type 1 (insulin-dependent) diabetes mellitus in France 465
Luzi, L., A. Secchi, F. Facchni, A. Battezzati, C. Staudacher, D. Spotti, R. Castoldi, G. Ferrari, V. Di Carlo, G. Pozza: Reduction of insulin resistance by combined kidney-pancreas transplantation in Type 1 (insulin-dependent) diabetic patients 549

Maher, F., L. C. Harrison: Hexose specificity for downregulation of HepG2/brain-type glucose transporter gene expression in L6 myocytes 641
Malik, R. A., E. A. Masson, A. K. Sharma, R. H. Lye, A. K. Ah-See, A. M. Compton, D. R. Tomlinson, S. P. Hanley, A. J. M. Boulton: Hypoxic neuropathy: relevance to human diabetic neuropathy 311
Mamo, J. C. L., L. Szeto, G. Steiner: Glycation of very low density lipoprotein from rat plasma impairs its catabolism 339
Morrish, N. J., L. K. Stevens, J. Head, J. H. Fuller, R. J. Jarrett, H. Keen: A prospective study of mortality among middle-aged diabetic patients (the London cohort of the WHO Multinational Study of Vascular Disease in Diabetics) I: causes and death rates 538
Morrish, N. J., L. K. Stevens, J. Head, J. H. Fuller, R. J. Jarrett, H. Keen: A prospective study of mortality among middle-aged diabetic patients (the London cohort of the WHO Multinational Study of Vascular Disease in Diabetics) II: associated risk factors 542

Nagi, D. K., T. J. Hendra, A. J. Ryle, T. M. Cooper, R. C. Temple, P. M. S. Clark, A. E. Schneider, C. N. Hales, J. S. Yudkin: The relationships of concentrations of insulin, intact proinsulin and 32–33 split proinsulin with cardiovascular risk factors in Type 2 (non-insulin-dependent) diabetic subjects 532
Neely, R. D. G., D. P. Rooney, A. B. Atkinson, B. Sheridan, C. N. Ennis, E. R. Trimble, P. M. Bell: Underestimation of glucose turnover determined using [6-^{3}H]glucose tracer in non-steady state. The role of a tritiated tracer impunity 681
Ng, L. L., D. Simmons, V. Frighi, M. C. Garrido, J. Bomford: Effect of protein kinase C modulators on the leucocyte Na^+/H^+ antiport in Type 1 (insulin-dependent) diabetic subjects with albuminuria 278
Ng, L. L., D. Simmons, V. Frighi, M. C. Garrido, J. Bomford, T. D. R. Hockaday: Leucocyte Na^+/H^+ antiport activity in Type 1 (insulin-dependent) diabetic patients with nephropathy 371
Niskanen, L., M. Uusitupa, H. Sarlund, O. Siitonen, E. Voutilainen, I. Penttilä, K. Pyörälä: Microalbuminuria predicts the development of serum lipoprotein abnormalities favouring atherogenesis in newly diagnosed Type 2 (non-insulin-dependent) diabetic patients 237
Nørgaard, K., B. Feldt-Rasmussen, K. Borch-Johnsen, H. Sælan, T. Deckert: Prevalence of hypertension in Type 1 (insulin-dependent) diabetes mellitus 407

Olsson, T., M. Viitanen, K. Asplund, S. Eriksson, E. Hägg: Prognosis after stroke in diabetic patients. A controlled prospective study 244
Onodera, T., T. Taniguchi, K. Yoshihara, S. Shimizu, M. Sato, T. Hayashi: Reovirus type 2-induced diabetes in mice prevented by immunosuppression and thymic hormone 192
Owens, D., V. Maher, P. Collins, A. Johnson, G. Tomkin: Cellular cholesterol regulation – A defect in the Type 2 (non-insulin-dependent) diabetic patient in poor metabolic control 93

Paolisso, G., S. Buonocore, S. Gentile, S. Sgambato, M. Varricchio, A. Scheen, F. D'Onofrio, P. J. Lefèbvre: Pulsatile glucagon has greater hyperglycaemic, lipolytic and ketogenic effects than continuous hormone delivery in man: effect of age 272
Perriello, G., P. De Feo, E. Torlone, C. Fanelli, F. Santeusanio, P. Brunetti, G. B. Bolli: Nocturnal spikes of growth hormone secretion cause the dawn phenomenon in Type 1 (insulin-dependent) diabetes mellitus by decreasing hepatic (and extrahepatic) sensitivity to insulin in the absence of insulin waning 52
Pettitt, D. J., M. F. Saad, P. H. Bennett, R. G. Nelson, W. C. Knowler: Familial predisposition to renal disease in two generations of Pima Indians with Type 2 (non-insulin-dependent) diabetes mellitus 438

Reijonen, H., J. Ilonen, M. Knip, B. Michelsen, H. K. Åkerblom: HLA-DQ beta-chain restriction fragment length polymorphism as a risk marker in Type 1 (insulin-dependent) diabetes mellitus: a Finnish family study 357
Rochet, N., J. L. Sadoul, B. Ferrua, J. Kubar, J. F. Tanti, P. Bougnères, B. Vialettes, E. Van Obberghen, Y. Le Marchand-Brustel, P. Freychet: Autoantibodies to the insulin receptor are infrequent findings in Type 1 (insulin-dependent) diabetes mellitus of recent onset 411
Rudberg, S., A. Aperia, U. Freyschuss, B. Persson: Enalapril reduces microalbuminuria in young normotensive Type 1 (insulin-dependent) diabetic patients irrespective of its hypotensive effect 470

Serrano Ríos, M., C. S. Moy, R. Martín Serrano, A. Minuesa Asensio, M. E. de Tomás Labat, G. Zarandieta Romero, J. Herrera: Incidence of Type 1 (insulin-dependent) diabetes mellitus in subjects 0–14 years of age in the Comunidad of Madrid, Spain 422
Serreze, D. V., E. H. Leiter, L. D. Shultz: Transplantation analysis of B cell destruction in (NOD × CBA) F1 mouse bone marrow chimeras 84
Slama, G., C. Alamowitch, N. Desplanque, M. Letanoux, P. Zirinis: A new non-invasive method for treating insulin-reaction: intranasal lyophylized glucagon 671
Snorgaard, O., S. G. Hartling, C. Binder: Proinsulin and C-peptide at onset and during 12 months cyclosporin treatment of Type 1 (insulin-dependent) diabetes mellitus 36
Sodoyez, J. C., F. Sodoyez-Goffaux, M. Koch, D. Sondag, C. Bouillenne, C. François-Gérard, E. Bosi: Clonally restricted insulin autoantibodies in a cohort of 2200 healthy blood donors 719
Sonnenberg, G. E., F. W. Kemmer, M. Berger: Exercise in Type 1 (insulin-dependent) diabetic patients treated with continuous subcutaneous insulin infusion. Prevention of exercise induced hypoglycaemia 696
Sundkvist, G., B. Bergström, M. Bramnert, B. Lilja, P. Manhem: The activity of the renin-angiotensin-aldosterone system before and during submaximal bicycle exercise in relation to circulatory catecholamines in patients with Type 1 (insulin-dependent) diabetes mellitus 148
Swanston-Flatt, S. K., C. Day, C. J. Bailey, P. R. Flatt: Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice 462
Szopa, T. M., T. Ward, D. M. Dronfield, N. D. Portwood, K. W. Taylor: Coxsackie B4 viruses with the potential to damage Beta cells of the islets are present in clinical isolates 325

Takahashi, K., M. A. Ghatei, H.-C. Lam, D. J. O'Halloran, S. R. Bloom: Elevated plasma endothelin in patients with diabetes mellitus 306
Tallroth, G., M. Lindgren, G. Stenberg, I. Rosen, C.-D. Agardh: Neurophysiological changes during insulin-induced hypoglycaemia and in the recovery period following glucose infusion in Type 1 (insulin-dependent) diabetes mellitus and in normal man 319

Tames, F. J., J. D. Baird, A. J. Bone: HbA_1 in assessment of metabolic control in diabetic BB/E rats 257
Tissot, S., S. Normand, R. Guilluy, C. Pachiaudi, M. Beylot, M. Laville, R. Cohen, R. Mornex, J. P. Riou: Use of a new gas chromatograph isotope ratio mass spectrometer to trace exogenous ^{13}C labelled glucose at a very low level of enrichment in man 449

Van Schravendijk, C. F. H., L. Heylen, J. L. Van den Brande, D. G. Pipeleers: Direct effect of insulin and insulin-like growth factor-I on the secretory activity of rat pancreatic Beta cells 649
Vercheval, M., R. De Hertogh, S. Pampfer, I. Vanderheyden, B. Michiels, P. De Bernardi, R. De Meyer: Experimental diabetes impairs rat embryo development during the preimplantation period 187

Widness, J. A., K. A. Teramo, G. K. Clemons, P. Voutilainen, U.-H. Stenman, S. M. McKinlay, R. Schwartz: Direct relationship of antepartum glucose control and fetal erythropoietin in human Type 1 (insulin-dependent) diabetic pregnancy 378
Wogensen, L. D., V. Kolb-Bachofen, P. Christensen, C. A. Dinarello, T. Mandrup-Poulsen, S. Martin, J. Nerup: Functional and morphological effects of interleukin-1β on the perfused rat pancreas 15
Wredling, R., S. Levander, U. Adamson, P. E. Lins: Permanent neuropsychological impairment after recurrent episodes of severe hypoglycaemia in man 152

Yajnik, C. S., K. M. Shelgikar, R. A. Sahasrabudhe, S. S. Naik, V. R. Pai, K. G. M. M. Alberti, T. D. R. Hockaday, A. Katrak, P. Dandona: The spectrum of pancreatic exocrine and endocrine (Beta-cell) function in tropical calcific pancreatitis 417
Yudkin, J. S., R. D. Forrest, C. A. Jackson, A. J. Ryle, S. Davie, B. J. Gould: Unexplained variability of glycated haemoglobin in non-diabetic subjects not related to glycaemia 208

Zeuzem, S., E. Stahl, E. Jungmann, M. Zoltobrocki, K. Schöffling, W. F. Caspary: In vitro activity of biosynthetic human diarginylinsulin 65

Rapid communications

Bretherton-Watt, D., S. G. Gilbey, M. A. Ghatei, J. Beacham, S. R. Bloom: Failure to establish islet amyloid polypeptide (amylin) as a circulating beta cell inhibiting hormone in man 115
Bretzel, R. G., B. K. Flesch, J. Willig, M. Woehrle, K. Federlin: Effects of ganglioside (Cronassial) treatment on MHC Ia antigen expression and allograft survival of pancreatic islets in diabetic rats 112
Handberg, A., A. Vaag, P. Damsbo, H. Beck-Nielsen, J. Vinten: Expression of insulin regulatable glucose transporters in skeletal muscle from Type 2 (non-insulin-dependent) diabetic patients 625
Heinemann, L., A. A. R. Starke, L. Heding, I. Jensen, M. Berger: Action profiles of fast onset insulin analogues 384

Jansson, P.-A., U. Smith, P. Lönnroth: Evidence for lactate production by human adipose tissue in vivo 253

Miyagawa, J., K. Yamamoto, T. Hanafusa, N. Itoh, C. Nakagawa, A. Otsuka, H. Katsura, K. Yamagata, A. Miyazaki, N. Kono, S. Tarui: Preventive effect of a new immunosuppressant FK-506 on insulitis and diabetes in non-obese diabetic mice 503

Nishi, M., G. I. Bell, D. F. Steiner: Islet amyloid polypeptide (amylin): no evidence of an abnormal precursor sequence in 25 Type 2 (non-insulin-dependent) diabetic patients 628

Pak, C. Y., C. Y. Cha, R. V. Rajotte, R. G. McArthur, J. W. Yoon: Human pancreatic islet cell specific 38 kilodalton autoantigen identified by cytomegalovirus-induced monoclonal islet cell autoantibody 569

Rabinovitch, A., W. L. Sumoski: Theophylline protects against diabetes in BB rats and potentiates cyclosporine protection 506
Rayman, G., P. Clark, A. E. Schneider, C. N. Hales: The first phase insulin response to intravenous glucose is highly reproducible 631
Rothe, H., K. Fehsel, H. Kolb: Tumour necrosis factor alpha production is upregulated in diabetes prone BB rats 573

Sowa, R., T. Sanke, J. Hirayama, H. Tabata, H. Furuta, S. Nishimura, K. Nanjo: Islet amyloid polypeptide amide causes peripheral insulin resistance in vivo in dogs 118

Terazono, K., Y. Uchiyama, M. Ide, T. Watanabe, H. Yonekura, H. Yamamoto, H. Okamoto: Expression of reg protein in rat regenerating islets and its co-localization with insulin in the Beta cell secretory granules 250

Vallet-Colom, I., C. Lévy-Marchal, D. Zarrouk, J. Tichet, R. Krishnamoorthy, P. Czernichow, J. Elion: HLA-DQB 1 codon 57 and genetic susceptibility to Type 1 (insulin-dependent) diabetes mellitus in French children 174

Williams, A. J. K., J. Krug, E. F. Lampeter, K. Mansfield, P. E. Beales, A. Signore, E. A. M. Gale, P. Pozzilli: Raised temperature reduces the incidence of diabetes in the NOD mouse 635

Zhang, X., J. K. Huff, B. G. Hudson, M. P. Sarras, Jr.: A non-mammalian in vivo model for cellular and molecular analysis of glucose-mediated thickening of basement membranes 704

Workshop reports

Åkerblom, H. K.: Fourth International Onnela Workshop Immunology and Diet – Towards the Prevention of Type 1 (insulin-dependent) Diabetes? 509

Kuglin, B., H. Kolb, C. Greenbaum, N. K.Maclaren, Å. Lernmark, J. P. Palmer: The Fourth International Workshop on the Standardisation of Insulin Autoantibody Measurement 638

Palmer, J. P., T. J. Wilkin, A. B. Kurtz, E. Bonifacio: The Third International Workshop on the Standardisation of Insulin Autoantibody Measurement 60

Walther, R., H. Zühlke: Report of the Second International Symposium on Molecular Genetics of Diabetes Mellitus 737

For debate . . .

Ewing, D. J.: Which battery of cardiovascular autonomic function tests? Comment 180

Ryder, R. E. J., C. A. Hardisty: Which battery of cardiovascular autonomic function tests? 177

Sawicki, P. T., I. Mühlhauser, T. Baba, M. Berger: Do angiotensin converting enzyme inhibitors represent a progress in hypertension care in diabetes mellitus? 121

Wieling, W., J. J. van Lieshout: The assessment of cardiovascular reflex activity: standardization is needed 182

Letters to the Editor

62, 125, 184, 576, 640, 739

Book reviews

577, 708

Announcements

63, 186, 256, 324, 421, 634, 730

Errata

637, 730

Organisation section

64, 324, 578

List of referees

742

Author index

744

Subject index

747

Supplement to Volume 33

Reports of the EASD Study Groups 1989/90 A1
Minutes EASD, 25th General Assembly of the European Association of the Study of Diabetes, Lisbon, 22 September 1989 A5
Agenda for the 26th General Assembly of the European Association for the Study of Diabetes, Copenhagen, 12 September 1990 A10
Abstracts of the 26th Annual Meeting of the European Association for the Study of Diabetes Copenhagen, Denmark, 10–14 September 1990 A11
Author Index A231
Organisation section A235